

**BREMICK**



# *Mechanical and Chemical Anchoring*

## Product Guide



## NCC Compliant Anchors

Safety Anchors & Screw Anchors	1
Through Bolts, Drop In Anchors & Splice Anchors	2
Heavy Duty Frame Plugs	2
Chemical Injection Cartridges & Capsules	3
Chemical Anchoring Accessories	4

## Non Safety Critical

Masonry Screw Anchors	5
Through Bolts & Drop In Anchors	6
Sleeve Anchors & Post Head	6-7
Threaded Rod Hangers	8
S Drive, Split Drive & Metal Pin Anchors	9
Shield Anchors	9
Nylon Nail In Anchors & Wall Plugs	10
Expansion Plugs, Universal Plugs & Insulation Fasteners	11
Plasterboard Anchors & Hollow Wall Anchors	12
Expanding Foam	12
Window Packers, Panel Shims, Builders Wedges & Deck Spacers	13

For the full and complete range including sizes and lengths available, please refer to the

**BREMICK®** website.

[www.bremick.com.au](http://www.bremick.com.au)



Finishes Available

- ZINC YELLOW
- ZINC PLATED
- MECHANICAL GALVANISED
- HOT DIPPED GALVANISED
- CERAMIC COATED
- B8® COATING
- STAINLESS STEEL 304
- STAINLESS STEEL 316

## NCC Compliant Anchors –

Safety Anchors & Screw Anchors

### Safety Anchor Hex Head

10mm-24mm



NEW

### Safety Anchor Countersunk Head

10mm-18mm



NEW

### Screw Anchor Flange Hex Head

6mm-12mm



NEW

### Screw Anchor Flange Hex Head

6mm-12mm



NEW

### Screw Anchor Countersunk Head

6mm-10mm



NEW

### Screw Anchor Pan Head

6mm



NEW

### Screw Anchor Rod Hanger

M8 / M10 Internal thread



NEW

### Screw Anchor External Thread

M8 - M10 External thread



NEW

### Screw Anchor Flange Hex Head

6mm-12mm



NEW

### Screw Anchor Countersunk Head

6mm-10mm



NEW

## NCC Compliant Screw Anchor



High tensile  
steel for superior  
strength

Triple Hi-Lo  
thread for improved  
tensile performance

Tapered tip for  
simple installation

National Construction Code



C1 C2  
SEISMIC FIXING



## NCC Compliant Anchors –

Through Bolts,  
Drop In Anchors &  
Splice Anchors

### Through Bolt



**10mm-16mm**

ZINC PLATED



National  
Construction  
Code

OPTION 1  
Cracked Concrete

**NEW**

### Through Bolt



**8mm-16mm**

HOT DIPPED GALVANISED



National  
Construction  
Code

OPTION 1  
Cracked Concrete

**NEW**

### Through Bolt



**10mm-20mm**

ZINC PLATED



National  
Construction  
Code

C1 C2  
SEISMIC FIXING

**NEW**

## NCC Compliant Anchors –

Chemical Injection  
Cartridges &  
Capsules

### Chemical Injection Polyester

**300ml-410ml**



National Construction Code



Uncracked Concrete

**EXPANDED**

### Chemical Injection Vinylester

**300ml-410ml**



National Construction Code



Cracked Concrete

### Chemical Injection Pure Epoxy

**585ml**



National Construction Code



SEISMIC FIXING

**NEW**

### Through Bolt



**8mm-16mm**

### Through Bolt



**8mm-16mm**



National  
Construction  
Code

**NEW**

### Drop In Anchor



**M6-M16**

ZINC PLATED



National  
Construction  
Code

**NEW**

### Splice Anchor



**6mm**

ZINC PLATED



National  
Construction  
Code

**NEW**

## Spin Capsule Epoxy Acrylate



**8mm-24mm**



National  
Construction  
Code

OPTION 7  
Uncracked Concrete

# Chemical Anchoring System



FIRE RESISTANCE FIRE



INDUSTRIAL STRENGTH  
CHEMICAL ANCHORING SYSTEM



INDUSTRIAL STRENGTH  
CHEMICAL ANCHORING SYSTEM

## NCC Compliant Anchors –

Heavy Duty Frame Plugs

### Nylon Frame Plug Hex Head



**10mm**

ZINC PLATED



National  
Construction  
Code

ETAG 020

### Nylon Frame Plug Hex Head



**10mm**

HOT DIPPED GALVANISED



National  
Construction  
Code

ETAG 020

### Nylon Frame Plug Hex Head



**10mm**

STAINLESS STEEL 316



National  
Construction  
Code


ETAG 020

### Nylon Frame Plug Countersunk Head



**10mm**

ZINC PLATED



National  
Construction  
Code


ETAG 020

### Nylon Frame Plug Countersunk Head



**10mm**

STAINLESS STEEL 316



National  
Construction  
Code

ETAG 020

**Bremick Masonry Anchors deliver next level performance, exceptional quality, and unmatched durability.**



STRENGTH  
VERSATILITY  
CHEMICAL RESISTANCE  
INTENDED SERVICE LIFE  
DRILLED HOLE CAN BE...  
CARBIDE DRILLED  
DIAMOND CORED  
DUSTLESS DRILLED  
SHELF LIFE  
INSTALL TEMPERATURE

Very High  
9 stars  
9 stars  
100 years  
Dry / Wet / Flooded  
✓  
✓  
✓  
24 months  
+5°C to +40°C

High  
9 stars  
8 stars  
50 years  
Dry / Wet / Flooded  
✓  
✓  
18 months  
-10°C to +35°C

Medium  
7 stars  
5 stars  
50 years  
Dry / Wet / Flooded  
✓  
18 months  
-10°C to +35°C



## Chemical Anchoring Accessories

Chemical Stud Bolt  
Chisel Point


M8-M24

ZINC YELLOW

Chemical Stud Bolt  
Chisel Point

M8-M24

HOT DIPPED GALVANISED

Chemical Stud Bolt  
Chisel Point

M8-M24

STAINLESS STEEL 316

EXPANDED

## Non Safety Critical Anchors

## Masonry Screw Anchors

Screw Anchor  
Flange Hex Head

5mm-16mm

ZINC PLATED

Screw Anchor  
Flange Hex Head

5mm-16mm

MECHANICAL GALVANISED

Screw Anchor  
Countersunk Head

6mm-12mm

MECHANICAL GALVANISED

NEW

Chemical Stud Bolt  
Flat Cut Point

M12-M20


ZINC YELLOW

Chemical Stud Bolt  
Flat Cut Point

M10-M30

HOT DIPPED GALVANISED

EXPANDED

Injection Gun  
Suit 300ml, 410ml  
& 585ml

Nylon Sleeve

Screw Anchor  
Eye Bolt

8mm

ZINC PLATED

NEW

Screw Anchor  
Tie Down

12mm

ZINC YELLOW

Screw Anchor  
Tie Down

12mm

MECHANICAL GALVANISED

Masonry Screw  
Hex Head5mm (4mm  
pilot hole) &  
6.5mm (5mm  
pilot hole)B8<sup>®</sup>  
COATING

NEW



Mixing Nozzle

Hole Cleaning  
Brush

10mm-28mm



Blow Pump

Masonry Screw  
Countersunk Head5mm (4mm  
pilot hole) &  
6.5mm (5mm  
pilot hole)B8<sup>®</sup>  
COATING

NEW

Masonry Screw  
Washer Head7.5mm  
(6mm pilot  
hole)B8<sup>®</sup>  
COATING

NEW

Wall Grab Anchor  
Pan HeadSquare/  
Phillips Drive  
5mm

ZINC PLATED

NEW

Wall Grab Anchor  
Pan HeadSquare/  
Phillips Drive  
5mmMECHANICAL  
GALVANISED



NEW

Technical and Product Data Sheets  
available onlineOur comprehensive library of engineering design  
data provides access to accurate and up-to-date  
technical information.Visit: [www.bremick.com.au/technical-library](http://www.bremick.com.au/technical-library)

## Masonry Screws

Bremick Masonry Screws are a light duty  
anchor for fastening metal plates and timber  
to masonry substrates such as concrete,  
brick and block without the need for a plug.

- Serrated Hi-Lo thread cuts into masonry and  
offers superior pull-out performance
- Ideal for close to edge applications – non-expansive
- Easy to install using the Torx bit provided in each pack
- Adjustable and fully removable

Countsunk  
HeadSerrated Hex  
HeadCountsunk  
HeadSerrated Hex  
Head

## Non Safety Critical Anchors

Through Bolts & Drop In Anchors

### Through Bolt



6mm-20mm

ZINC  
YELLOW

**EXPANDED**

### Through Bolt



8mm-20mm

HOT DIPPED  
GALVANISED

**EXPANDED**

### Through Bolt



6mm-20mm

STAINLESS  
STEEL  
316

**EXPANDED**

### Sleeve Anchor Flush Head



8mm-12mm

STAINLESS  
STEEL  
316

**NEW**

### Sleeve Anchor Hook Bolt



8mm

ZINC  
YELLOW

**NEW**

### Sleeve Anchor Eye Bolt



8mm

ZINC  
YELLOW

**NEW**

### Sleeve Anchor Round Head



6.5mm

ZINC  
YELLOW

**NEW**

## Drop In Anchor



M6-M20

ZINC  
YELLOW

## Drop In Anchor



M6-M16

ZINC  
YELLOW

## Drop In Anchor Lipped



M6-M12

ZINC  
YELLOW

## Drop In Anchor Setting Tool



Suit M6-M20

## Sleeve Anchor Suspension Head



6.5mm

ZINC  
YELLOW

## Sleeve Anchor Suspension Tie Wire



6mm

ZINC  
YELLOW

**EXPANDED**

## Post Head Countersunk



6.5mm-10mm

ZINC  
YELLOW

**NEW**

## Post Head Countersunk



6.5mm-10mm

ZINC  
YELLOW

**NEW**

## Non Safety Critical Anchors

Sleeve Anchors & Post Head

### Sleeve Anchor Flange Hex Nut



6.5mm-20mm

ZINC  
YELLOW

**EXPANDED**

### Sleeve Anchor Flange Hex Nut



6.5mm-20mm

MECHANICAL  
GALVANISED

**EXPANDED**

### Sleeve Anchor Hex Nut



6.5mm-12mm

ZINC  
YELLOW

**EXPANDED**

## Post Head Round



6.5mm

ZINC  
YELLOW

**NEW**

## Post Head Tie Wire



M6 & M10 Internal

ZINC  
YELLOW

**NEW**

## Sleeve Anchor Countersunk Head



6.5mm-10mm

ZINC  
YELLOW

**EXPANDED**

## Sleeve Anchor Countersunk Head



6.5mm-10mm

ZINC  
YELLOW

**NEW**

## Sleeve Anchor Flush Head



8mm-16mm

ZINC  
YELLOW

**EXPANDED**

## Sleeve Anchor Flush Head



10mm-16mm

MECHANICAL  
GALVANISED

**NEW**

**Bremick Masonry Anchors**  
deliver next level performance,  
exceptional quality, and  
unmatched durability.



## Non Safety Critical Anchors

Threaded Rod Hangers

Threaded Rod Hanger  
Timber / Vertical

M10 Internal



**NEW**

Threaded Rod Hanger  
Timber / Side

M10 Internal



**NEW**

Threaded Rod Hanger  
Concrete / Vertical

M10 Internal



**NEW**

## Non Safety Critical Anchors

S Drive, Split Drive & Metal Pin Anchors

S Drive Anchor  
Formwork Head

5mm-6.5mm



**NEW**

S Drive Anchor  
Countersunk Head

5mm-6.5mm



**EXPANDED**

S Drive Anchor  
Mushroom Head

5mm-6.5mm



**EXPANDED**

Threaded Rod Hanger  
Steel / Vertical

M10 Internal



**NEW**


Threaded Rod Hanger  
Steel / Side

M10 Internal



**NEW**

## STEEL FIXING



Vertical


Side

## CONCRETE FIXING



Vertical

## TIMBER FIXING



Vertical

Side

# Threaded Rod Hangers

Bremick Threaded Rod Hangers are a specialised fastening solution used to secure threaded rod in construction and industrial applications.

They provide a strong, reliable attachment point for suspending pipes, HVAC systems, cable trays, and other overhead installations.

- One-Piece design simplifies installation by eliminating the need for multiple components
- Designed to suspend threaded rod in either vertical or horizontal applications
- Hex shaped head for easy installation

## Split Drive Anchor Countersunk Head

6mm



**NEW**

## Metal Pin Anchor Zinc Plated Pin

5mm-6.5mm



**EXPANDED**

## Metal Pin Anchor SS316 Pin

6.5mm



**NEW**

## Non Safety Critical Anchors

Shield Anchors



3/8" & M10

ZINC  
YELLOW

**Trusted performance**

**BREMICK®**



## Non Safety Critical Anchors

Nylon Nail In Anchors & Wall Plugs

Nail In Anchor  
Mushroom

5mm-6.5mm

ZINC PLATED

EXPANDED

Nail In Anchor  
Mushroom

5mm-6.5mm

STAINLESS STEEL 304

NEW

Nail In Anchor  
Round

5mm-6.5mm

ZINC PLATED

EXPANDED

## Non Safety Critical Anchors

Expansion Plugs,  
Universal Plugs &  
Insulation Fasteners

Expansion Plug  
Collared

5mm-14mm

KCW®  
fixing technology

Expansion Plug  
Push Through

5mm-14mm

KCW®  
fixing technology

Universal  
Plug Collared

5mm-14mm

KCW®  
fixing technology

Nail In Anchor  
Round

5mm-6.5mm

STAINLESS STEEL 304

NEW

Nail In Anchor  
Countersunk

5mm-6.5mm

ZINC PLATED

EXPANDED

Nail In Anchor  
Countersunk

5mm

STAINLESS STEEL 316

NEW

Heavy Duty Nylon  
Anchor Zinc Plated  
Screw

5mm-8mm

ZINC PLATED

EXPANDED

Universal Plug  
Push Through

6mm-14mm

KCW®  
fixing technology

EXPANDED

Bugle Batten  
Frame Plug

10mm

KCW®  
fixing technology

NEW

Hammer Fix  
Insulation Fixing

8mm

KCW®  
fixing technology

NEW

Metal Insulation  
Fastener

8mm

KCW®  
fixing technology

NEW

Heavy Duty Nylon  
Anchor SS316 Screw

5mm-6mm

STAINLESS STEEL 316

EXPANDED

Heavy Duty Nylon  
Anchor Countersunk  
Head

5mm-8mm

ZINC PLATED

NEW

Heavy Duty Nylon  
Anchor Countersunk  
Head

6mm-8mm

KCW®  
fixing technology

NEW

Nylon Wall Plug

5mm-12mm

STAINLESS STEEL 304

NEW

Universal Insulation  
Disc



KCW®  
fixing technology

NEW

Insulation ISO Plug



KCW®  
fixing technology

NEW

## Universal Plug

Available in push through and collared styles for all applications

Heavy duty radial fins prevent anchor spin

Triple split design expands in three directions for maximum holding power

Tri-lobial design provides optimal centric screw guidance

Continuous linear slot plug knots up in hollow material

**KCW®**  
fixing technology

PVC Wall Plugs

5mm-12mm




Spaghetti Wall Plug

5.5mm



## Non Safety Critical Anchors

Plasterboard Anchors & Hollow Wall Anchors



## Hollow Wall Anchor



## Hollow Wall Anchor Setting Tool



## Spring Toggle Cup Hook



## Spring Toggle Square Hook



## Window Packer 140mm



## IQ Window Packer 95mm



## Panel Shim Full 100mmx150mm



## Panel Shim Half 100mmx75mm



## Spring Toggle Round Head



## Spring Toggle Countersunk Head



## Gravity Toggle Round Head



## Hollow Wall Plastic Toggle



## Builders Wedge



## Deck Spacer T Shape



## Deck Spacer Multi Size



## Expanding Foam

## PU Expanding Foam Fire Rated



## PU Expanding Foam StrawFoam



## PU Expanding Foam Cleaner



Colour coded thickness for easy identification	
Thickness (mm)	Colour
1.0	Red
2.0	Light Blue
3.0	Yellow
5.0	Orange
10.0	Black
15.0	Brown
20.0	Maroon

W.L.L 20 TONNES

## Panel Shims – Full & Half

- Designed for the packing of precast tilt-up concrete panels
- Complies with AS3850.1 2015 (+A1 2019) Independently Tested
- Rated to a 20-tonne working load limit



Available in 1mm, 2mm, 3mm, 5mm, 10mm, 15mm, and 20mm thicknesses



# BREMICK®

## SYDNEY

Bremick PTY LTD  
Head Office 88 Dalmeny Avenue,  
Rosebery 2018

Phone: 02 8332 1500

National Distribution Centre  
M5/M7 Logistics Park, Warehouse 4B,  
290 Kurrajong Road, Prestons NSW 2170

## AUCKLAND

Sale & Distribution Centre  
Unit F, 373 Neilson Street,  
Penrose Auckland 1061

Phone: +64 (09) 525 2244  
Toll Free: +0800 658 075

[bremick.com.au](http://bremick.com.au)