

PRODUCT BULLETIN

GALVANISED 8.8 SET SCREWS

Metric

NEW 112 SKU Galvanised Range

ESTIMATED TIME OF ARRIVAL: AVAILABLE NOW!

GALVANISED

Galvanised

Bremick® Zinc and Black 8.8 set screws have been core to the Bremick high tensile range for some time. Now Bremick have added a galvanised offer to the range. Including 124 sizes from M6 to M30.

KEY FEATURES AND BENEFITS

APPLICATION

Bremick® Hex Head Metric Class 8.8 set screws are designed for industrial and construction applications where high tensile superior performance is required.

PRODUCT ATTRIBUTES

- Material Class: Carbon Steel Class 8.8
- Thread Form: Metric 6g
- Finish: Hot Dipped Galvanised
- Standard: Complies to AS 1110.1:2015
- Mechanical Properties: Complies to ISO 898.1:2013
- Chemical Composition: Complies to ISO 898.1:2013

COATING / MATERIAL

- Galvanised

CODE PREFIX: **S88M**



AUSTRALIA

88 Dalmeny Avenue, Rosebery NSW 2018
02 8332 1500

NEW ZEALAND

M20 Business Park, 70A Plunket Avenue, Manukau Auckland
+64 (09) 525 2244

PRODUCT BULLETIN

Bolts	10	12	16	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	100	110	120	130	140	150	160	170	180	200	220	230	250	FINISH		
M5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	●	-	●	-	●	●	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Zinc	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Galvanised
M6	-	●	●	-	●	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	●	●	●	●	●	●	●	●	●	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Zinc	
	-	●	●	●	●	●	-	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Galvanised	
M8	-	-	-	●	●	●	-	-	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	-	●	●	●	●	●	●	●	●	●	-	●	●	●	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	Zinc	
	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	Galvanised
M10	-	-	-	●	●	●	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	-	-	●	●	●	●	●	●	-	●	●	●	●	●	●	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	Zinc	
	-	-	●	●	●	●	●	●	-	●	●	●	●	●	●	●	●	-	●	●	-	●	●	-	●	-	-	-	-	-	-	-	-	Galvanised
M12	-	-	-	●	-	-	●	●	-	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	Zinc	
	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	-	●	●	-	●	●	●	●	-	-	-	-	-	-	-	-	Galvanised
M14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	-	-	-	-	-	●	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Zinc	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Galvanised
M16	-	-	-	-	-	-	-	●	-	●	-	●	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Zinc
	-	-	-	-	●	●	●	●	●	●	●	●	●	●	●	●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Galvanised
M20	-	-	-	-	-	-	-	-	●	-	●	-	●	-	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	-	-	-	-	-	-	-	-	●	●	●	●	●	●	●	●	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	Zinc
	-	-	-	-	●	●	●	●	●	-	●	●	●	●	●	●	●	-	●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	Galvanised
M24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	-	-	-	-	-	-	-	-	-	●	-	●	-	-	-	-	-	-	●	●	-	-	-	-	-	-	-	-	-	-	-	-	Zinc	
	-	-	-	-	-	●	-	●	-	●	●	●	●	●	●	●	●	-	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Galvanised
M30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Black	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Zinc	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●	●	-	●	-	●	●	●	●	●	●	●	●	Galvanised	

Product in GREEN ● are new lines

COATING/MATERIAL	DESCRIPTION	OVERVIEW	CORROSION RESISTANCE
Galvanised	Galvanised is a process of dipping a steel object into a molten bath of zinc (455° - 480°C). The molten zinc adheres to the anchor surface covering all the corners and edges.	Bremick® Galvanised Coating provides a moderate/high level of corrosion protection and is recommended for damp external application. Bremick® Hot Dipped Galvanising complies with AS/NZS 1214.	Moderate/High

